

## Author index to volume 69

- Aiani, K.E. and J.S. Hutchinson, Evaluation of overlap matrix elements by the transformation method (HEG) 69 (1992) 46
- Anzai, Y., see K. Shida 69 (1992) 317
- Barb, F.D., O. Netoiu, M. Sorescu and M. Weiss, SPECFIT – an interactive package for Mössbauer spectra fitting with personal computers 69 (1992) 182
- Berg, B.A., Double jackknife bias-corrected estimators 69 (1992) 7
- Berg, B.A., Monte Carlo calculation of confidence limits for realistic least square fitting 69 (1992) 65
- Beltrán-López, V. and L. González-Tovany, POWDERSPEC, a program for efficient simulation of isotropic EPR spectra 69 (1992) 397
- Bhattacharya, R., D. Roy and S. Bhowmick, Finding roots using divergent functional iteration 69 (1992) 339
- Bhowmick, S., see R. Bhattacharya 69 (1992) 339
- Bledowski, A., see J. Otten 69 (1992) 187
- Block, M.M., Monte Carlo phase space evaluation 69 (1992) 459
- Bocko, J., EQSHELL – a REDUCE-based program for generation of equations of equilibrium for shells 69 (1992) 215
- Bondeson, A., see H. Lütjens 69 (1992) 287
- Boutros, E., see H.A. Yousif 69 (1992) 406
- Brackbill, J.U., see H.X. Vu 69 (1992) 253
- Buneman, O., see J. Villasenor 69 (1992) 306
- Burke, P.G., see V.M. Burke 69 (1992) 76
- Burke, V.M., P.G. Burke and N.S. Scott, A new no-exchange *R*-matrix program 69 (1992) 76
- Chang, C.-H. and J.-X. Wang, A general method for calculating principal value integrals numerically in an *N*-dimensional region 69 (1992) 330
- Charchuła, K., The package PAKPDF 1.1 of parametrizations of parton distribution functions in the proton 69 (1992) 360
- Chilingarian, A.A., Dimensionality analysis of multiparticle production at high energies 69 (1992) 347
- De Nijs, J.M.M., see M.H.W. Verbruggen 69 (1992) 201
- Evans, G.A., Computing time-dependent eddy currents in tokamaks 69 (1992) 243
- Ezawa, Y., T. Hayashi, M. Kikugawa, J. Kodaira, T. Muta, R. Najima, J. Saito, S. Wakaizumi, T. Watanabe, T. Yano and M. Yonezawa, Brown–Feynman reduction of one-loop Feynman diagrams to scalar integrals with orthonormal basis tensors 69 (1992) 15
- Flyvbjerg, H., see F. Larsen 69 (1992) 59
- Formaleoni, G., see C. Oleari 69 (1992) 112
- Frosch, W.R., see A.A. Sonzogni 69 (1992) 429

- Ghosh, S., see M. Hossain 69 (1992) 1
- Gibbon, P., A numerical model of the plasma beat-wave accelerator 69 (1992) 299
- González-Tovany, L., see V. Betrán-López 69 (1992) 397
- Graudenz, D., Calculation of long traces of  $\gamma$ -matrices in the dimensional regularization scheme 69 (1992) 173
- Gravielle, M.S. and J.E. Miraglia, Some Nordsieck integrals of interest in radiation and atomic collision theories 69 (1992) 53
- Han, J.H. and J.N. Leboeuf, Particle simulation model of the Lorentz collision operator in guiding-center plasmas 69 (1992) 277
- Hayashi, T., see Y. Ezawa 69 (1992) 15
- Hockney, R.W., Book review 69 (1992) 487
- Hossain, M., W.H. Matthaeus and S. Ghosh, On computing high order Galerkin products 69 (1992) 1
- Høy, J.S., see E. Lomba 69 (1992) 420
- Hutchinson, J.S., see K.E. Aiani 69 (1992) 46
- James, F., Erratum notice. A review of pseudorandom number generators 69 (1992) 486
- Karimäki, V., Fast code to fit circular arcs 69 (1992) 133
- Kikugawa, M., see Y. Ezawa 69 (1992) 15
- Kodaira, J., see Y. Ezawa 69 (1992) 15
- Kumano, S. and J.T. Londergan, A FORTRAN program for numerical solution of the Altarelli-Parisi equations by the Laguerre method 69 (1992) 373
- Kwiatkowski, A., H. Spiesberger and H.-J. Möhring, HERACLES: an event generator for ep interactions at HERA energies including radiative processes 69 (1992) 155
- Larsen, F. and H. Flyvbjerg, Efficient evaluation of Feynman diagrams on lattices 69 (1992) 59
- Leboeuf, J.N., see J.H. Han 69 (1992) 277
- Lomba, E. and J.S. Høy, HNCR - a program to calculate the structure and thermodynamics of binary mixtures of charged hard spheres 69 (1992) 420
- Londergan, J.T., see S. Kumano 69 (1992) 373
- Lütjens, H., A. Bondeson and A. Roy, Axisymmetric MHD equilibrium solver with bicubic Hermite elements 69 (1992) 287
- MacLeod, A.J., The numerical computation of transport integrals 69 (1992) 229
- Matthaeus, W.H., see M. Hossain 69 (1992) 1
- Miraglia, J.E., see M.S. Gravielle 69 (1992) 53
- Möhring, H.-J., see A. Kwiatkowski 69 (1992) 155
- Morales, J.J. and M.J. Nuevo, Comparison of link-cell and neighbourhood tables on a range of computers 69 (1992) 223
- Morrison, T.P., POP - an interactive charged particle transport system design tool 69 (1992) 477
- Moses, G.A., see O. Yasar 69 (1992) 439
- Muta, T., see Y. Ezawa 69 (1992) 15
- Najima, R., see Y. Ezawa 69 (1992) 15
- Narayanan, K.S.S., Comment on a paper by K.J.F. Gaemers (Comput.Phys.Commun. 22(1981)115) 69 (1992) 73
- Nassiff, S.J., see A.A. Sonzogni 69 (1992) 429
- Netoiu, O., see F.D. Barb 69 (1992) 182
- Nuevo, M.J., see J.J. Morales 69 (1992) 223

- Oleari, C. and G. Formaleoni,  $(\theta, \delta)$  uniform-scale chromaticity diagram 69 (1992) 112
- Otten, J., A. Bledowski, K.H. Ringhofer and R.A. Rupp, Dynamical holographic storage in photorefractive crystals 69 (1992) 187
- Ringhofer, K.H., see J. Otten 69 (1992) 187
- Romo, A.S.M.A., see A.A. Sonzogni 69 (1992) 429
- Rössler, U., see J. Schmitz 69 (1992) 369
- Roy, A., see H. Lütjens 69 (1992) 287
- Roy, D., see R. Bhattacharya 69 (1992) 339
- Rupp, R.A., see J. Otten 69 (1992) 187
- Saito, J., see Y. Ezawa 69 (1992) 15
- Schmitz, J., H.-R. Trebin and U. Rössler, TRSS: a new version of program TRS for a different geometry 69 (1992) 369
- Scott, N.S., see V.M. Burke 69 (1992) 76
- Sharan, P., Symbolic computation of Wigner-Kirkwood expansion to  $\mathcal{O}(\hbar^8)$  69 (1992) 235
- Shida, K. and Y. Anzai, Reduction of the event-list for molecular dynamic simulation 69 (1992) 317
- Sonzogni, A.A., A.S.M.A. Romo, W.R. Frosch and S.J. Nassiff, A code to determine the energy distribution, the incident energy and the flux of a beam of light ions into a stack of foils 69 (1992) 429
- Sorescu, M., see F.D. Barb 69 (1992) 182
- Spiesberger, H., see A. Kwiatkowski 69 (1992) 155
- Takada, K., Programs for algebraic calculation of angular momentum coupling 69 (1992) 142
- Taubmann, G., Parabolic cylinder functions  $U(n, x)$  for natural  $n$  and positive  $x$  69 (1992) 415
- Trebin, H.-R., see J. Schmitz 69 (1992) 369
- Verbruggen, M.H.W. and J.M.M. de Nijs, Analysis of spectroscopic ellipsometric measurements 69 (1992) 201
- Villasenor, J. and O. Buneman, Rigorous charge conservation for local electromagnetic field solvers 69 (1992) 306
- Vu, H.X. and J.U. Brackbill, CELEST1D: an implicit, fully kinetic model for low-frequency, electromagnetic plasma simulation 69 (1992) 253
- Wakaizumi, S., see Y. Ezawa 69 (1992) 15
- Wang, J.-X., see C.-H. Chang 69 (1992) 330
- Watanabe, T., see Y. Ezawa 69 (1992) 15
- Weese, J., A reliable and fast method for the solution of Fredholm integral equations of the first kind based on Tikhonov regularization 69 (1992) 99
- Weiss, M., see F.D. Barb 69 (1992) 182
- Yano, T., see Y. Ezawa 69 (1992) 15
- Yasar, O. and G.A. Moses, R-MHD: an adaptive-grid radiation-magnetohydrodynamics computer code 69 (1992) 439
- Yonezawa, M., see Y. Ezawa 69 (1992) 15
- Yousif, H.A. and E. Boutros, A FORTRAN code for the scattering of EM plane waves by an infinitely long cylinder at oblique incidence 69 (1992) 406



## Program index to volume 69

### Atomic physics

- Burke, V.M., P.G. Burke and N.S. Scott  
 RMATRIX NX (Fortran, 15986 lines). A new no-exchange *R*-matrix program ACGP 69 (1992) 76
- Beltrán-López, V. and L. González-Tovany  
 POWDERSPEC (Fortran, 3725 lines). POWDERSPEC, a program for efficient simulation of isotropic EPR spectra ACGX 69 (1992) 397

### Computational methods

- Weese, J.  
 FTIKREG (Fortran, 4343 lines, Manual 27 pages). A reliable and fast method for the solution of Fredholm integral equations of the first kind based on Tikhonov regularization ACGH 69 (1992) 99
- Karimäki, V.  
 CIRCLEFIT (Fortran, 586 lines). Fast code to fit circular arcs ACBZ 69 (1992) 133
- Takada, K.  
 KENTARO/KENJIRO (Fortran, 7058 lines). Programs for algebraic calculation of angular momentum coupling ACGB 69 (1992) 142
- Graudenz, D.  
 DTRACE (C, 3000 lines). Calculation of long traces of  $\gamma$ -matrices in the dimensional regularization scheme ACBX 69 (1992) 173
- Taubmann, G.  
 PARACYL (Fortran, 329 lines). Parabolic cylinder functions  $U(n,x)$  for natural  $n$  and positive  $x$  ACGO 69 (1992) 415
- James, F.  
 000ACORRECTION 12/11/91 (Fortran). Erratum notice. A review of pseudo-random number generators ABTK 69 (1992) 486

### Computer algebra

- Takada, K.  
 KENTARO/KENJIRO (Fortran, 7058 lines). Programs for algebraic calculation of angular momentum coupling ACGB 69 (1992) 142
- Bocko, J.  
 EQSHELL (Reduce, 460 lines). EQSHELL – a REDUCE-based program for generation of equations of equilibrium for shells ACGC 69 (1992) 215

**Condensed matter and surface science**

- Verbruggen, M.H.W. and J.M.M. de Nijs  
CENTIPEDE (C, 7230 lines). Analysis of spectroscopic ellipsometric measurements ACGG 69 (1992) 201
- Schmitz, J., H.-R. Trebin and U. Rössler  
TRSS (Fortran, 5207 lines, Manual 75 pages). TRSS: a new version of program TRS for a different geometry ACGS 69 (1992) 369
- Betrán-López, V. and L. González-Tovany  
POWDERSPEC (Fortran, 3725 lines). POWDERSPEC, a program for efficient simulation of isotropic EPR spectra ACGX 69 (1992) 397

**Electrostatics and electromagnetics**

- Yousif, H.A. and E. Boutros  
ASMAA (Fortran, 658 lines). A FORTRAN code for the scattering of EM plane waves by an infinitely long cylinder at oblique incidence ACGQ 69 (1992) 406

**Elementary particle physics**

- Karimäki, V.  
CIRCLEFIT (Fortran, 586 lines). Fast code to fit circular arcs ACBZ 69 (1992) 133
- Kwiatkowski, A., H. Spiesberger and H.-J. Möhring  
HERACLES V 4.0 (Fortran, 11042 lines). HERACLES: an event generator for ep interactions at HERA energies including radiative processes ACGE 69 (1992) 155
- Charchuła, K.  
PAKPDF 1.1 (Fortran, 15366 lines). The package PAKPDF 1.1 of parametrizations of parton distribution functions in the proton ACGU 69 (1992) 360
- Kumano, S. and J.T. Londergan  
LAG1 (Fortran, 1149 lines). A FORTRAN program for numerical solution of the Altarelli-Parisi equations by the Laguerre method ACGR 69 (1992) 373
- Block, M.M.  
NUPHAZ (Fortran, 511 lines). Monte Carlo phase space evaluation ACGJ 69 (1992) 459
- Morrison, T.P.  
POP (Fortran, 2868 lines). POP – an interactive charged particle transport system design tool ACGK 69 (1992) 477

**Nuclear physics**

- Barb, F.D., O. Netoiu, M. Sorescu and M. Weiss  
SPECFIT (Fortran, 3216 lines). SPECFIT – an interactive package for Mössbauer spectra fitting with personal computers ACGF 69 (1992) 182
- Sonzogni, A.A., A.S.M.A. Romo, W.R. Frosch and S.J. Nassiff  
STP (Fortran, 728 lines). A code to determine the energy distribution, the incident energy and the flux of a beam of light ions into a stack of foils ACGM 69 (1992) 429

**Optics**

Oleari, C. and G. Formaleoni

COLORJND (C, 4586 lines). ( $\theta, \delta$ ) uniform-scale chromaticity diagram ACGD 69 (1992) 112

Otten, J., A. Bledowski, K.H. Ringhofer and R.A. Rupp

DYNHOLO (Fortran, 3818 lines). Dynamical holographic storage in photorefractive crystals ACGA 69 (1992) 187

Verbruggen, M.H.W. and J.M.M. de Nijs

CENTPEDE (C, 7230 lines). Analysis of spectroscopic ellipsometric measurements ACGG 69 (1992) 201

**Plasma physics**

Yasar, O. and G.A. Moses

R-MHD (fortran, 8128 lines). R-MHD: an adaptive-grid radiation-magnetohydrodynamics computer code ACGN 69 (1992) 439

**Statistical physics and thermodynamics**

Lomba, E. and J.S. Høye

HNCR (Fortran, 2217 lines). HNCR – a program to calculate the structure and thermodynamics of binary mixtures of charged hard spheres AGL 69 (1992) 420